1067

KOLAR DIVISION.

Notification dated 6th March 1905.

The attention of the public is invited to the notification in the Gazette dated 16th March 1905, calling for tenders for the work of restoring Sithahalli tank, Registered No. 263 of Malur Taluk.

K. KRISHNAIYENGAR, *Executive Engineer.*

MYSORE DIVISION.

Notice dated 18th March 1905.

A sum of Rs. 600, being the earnest money deposited by contractor Siddappa for extending and improving Hullahalli Channel, is outstanding in the accounts of this office since 1888-89.

Notice is hereby given that if the said contractor Siddappa or his heir duly authorized to receive the amount does not present himself to receive the payment on or before the 31st May 1905, the amount with interest will be credited to Government as unclaimed.

V. ARUNACHELLAM, *Executive Engineer.*

MYSORE CITY IMPROVEMENT TRUST BOARD.

The 14th March 1905.

1. Notice is hereby given that sealed tenders will be received at the office of the Chairman of the Board of Trustees for Mysore City Improvements, up to 17th April 1905, for filling Purniah's Nallah, near Mochi Ghat Police Station, Mysore City. An approximate estimate of quantities is given in the appended statement. These quantities are not guaranteed. The work should be completed by the end of December 1905.

2. The plans, detailed estimate and conditions may beseen at the Chairman's office at Mysore between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Chairman's office. The tenders should be accompanied by a statement in the from given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for filling Purniah's Nallah near Mochi Ghat Police Station, Mysore City, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Board of Trustees, Mysore City Improvements, who do not bind themselves to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Chairman's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Statement showing the quantity of work to be done for filling with earth Purniah's Nallah near the Mochi Ghat Police Station in No. 2 Drainage area of the Mysore City.

No.	*Items of work.*	*Per*	*Approximate Quantity.*
1.	Earth filling including watering and tamping ...	C. yds.	37,235
2.	Turfing	Sqr.	137
3.	Gravelling the road, including collecting carting and consolidating.	C. yds.	725
4.	Metalling the road do ...	"	175
5.	Railing the road with slab uprights and two rows of horizontal wooden bars.	R. ft.	210

The 14th March 1905.

1. Notice is hereby given that sealed tenders will be received at the office of the Chairman of the Board of Trustees for the Mysore City Improvements, up to 17th April 1905, for the construction of drains and works pertaining to them in No. II Drainage area of the Mysore City in Block Nos. 18, 19, 13 and 9. An approximate estimate of quantities is given in the accompanying statement. These quantities are not guaranteed. The work should be completed by the end of June 1907.

2. The plans, detailed estimate and conditions may be seen at the office of the Chairman of the Board of Trustees for the Mysore City Improvements between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Chairman's office. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees two hundred in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the construction of drains and works pertaining to them in No. II Drainage area of the Mysore City in Block Nos. ," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Board of Trustees for the Mysore City Improvements, who do not bind themselves to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Chairman's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Statement showing the quantity of drainage and other works to be done in Block Nos. 18, 19, 13 and 9 of No. II Drainage area of the Mysore City.

No.	*Items of work.*	*Per.*	*Approximate quantity.*
1	Earthwork, excavation ordinary soil for constructing drains of semi-peg top section.	C. yds.	2,954
2	Earthwork, excavation for other soil do (average rate).	„	1,234
3	Earthwork, cutting for grading roads and conservancy lanes.	„	5,454
4	Machine-ground surki mortar concrete for constructing drains of semi-peg top sections.	C. ft.	77,167
5	Machine-ground surki mortar concrete for filling foundation of masonry works.	„	1,403
6	Machine-ground chunam mortar do do	„	504
7	Burnt brick in machine-ground surki mortar ...	„	4,047
8	Do do chunam mortar ...	„	2,615
9	Coping with burnt brick in machine-ground chunam mortar and plastering.	R. ft.	196
10	Machine-ground surki mortar plastering rendering smooth with cement.	Sqr.	1226·92
11	Machine-ground chunam mortar plastering ...	„	31·14
12	Cement plastering	„	3·44
13	Coverings to drains at crossings with either armoured concrete or dressed 6″ thick burnt stone slabs set in mortar.	S. ft.	10,564
14	Coping with dressed 3″ thick burnt stone slabs set in mortar.	„	64
15	Removing slab stones of existing drains	R. ft.	41,492
16	Resetting the old slab stones, set in mortar pointing the joints.	„	41,492
17	Forming and gravelling the road 3″ thick including collecting, carting and consolidating.	S. yds.	12,915
18	Teak-wood doors (3′ × 6′) including frame, etc., complete.	Each.	4
	Machinery for grinding mortar will be made available, the tenderer bearing the charges for the preparation of the mortar.		

The 14th March 1905.

Notice is hereby given that sealed tenders will be received at the office of the Chairman of the Board of Trustees for the Mysore City Improvements, up to 17th April 1905, for the construction of drains and works pertaining to them in No. II Drainage area of the Mysore City in Block Nos. 10, 11, 12, 7 and 8. An approximate estimate of quantities is given in the accompanying statement. These quantities are not guaranteed. The work should be completed by the end of June 1907.

2. The plans, detailed estimate and conditions may be seen at the office of the Chairman of the Board of Trustees, Mysore City Improvements, between the hours of 11 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Chairman's office. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the construction of drains and works pertaining to them in No. II Drainage area of the Mysore City in Block Nos. 10, 11, 12, 7 and 8, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Board of Trustees for Mysore City Improvements, who do not bind themselves to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Chairman's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Statement showing the quantity of drainage and other works to be done in Block Nos. 10, 11, 12, 7 and 8 of No. II Drainage area of the Mysore City.

No.	*Items of work.*	*Per.*	*Approximate quantity.*
1.	Earthwork, excavation, ordinary soil for constructing drains of semi-peg top section.	C. yds.	3,240
2.	Earthwork, excavation for other soil for constructing drains of semi-peg top section (average rate).	,,	1,267
3.	Earthwork, cutting for grading roads and conservancy lanes.	,,	4,990
4.	Machine-ground surki mortar concrete for constructing drains of semi-peg top section.	C. ft.	81,442
5.	Machine-ground surki mortar concrete for filling foundation of masonry works.	,,	1,734
6.	Machine-ground chunam mortar concrete for filling foundation of masonry works.	,,	1,260
7.	Burnt brick in machine-ground surki mortar ...	,,	4,995
8.	Burnt brick in machine-ground chunam mortar ...	,,	8,165
9.	Coping with burnt brick in machine-ground chunam mortar and plastering.	R. ft.	490
10.	Machine-ground surki mortar plastering, rendering smooth with cement.	Sqr.	1368·45
11.	Machine-ground chunam mortar plastering ...	,,	84·75
12.	Cement plastering...	,,	6·88
13.	Coverings to drains at crossings with either armoured concrete or dressed 6″ thick burnt stone slabs set in mortar.	S. ft.	14,615
14.	Coping with dressed 3″ thick burnt stone slabs set in mortar.	,,	128
15.	Removing slab stones of existing drains	R. ft.	50,382
16.	Resetting the old slab stones, set in mortar pointing the joints.	,,	50,382
17.	Forming and gravelling the road 3″ thick including collecting, carting and consolidating.	S. yds.	15,557
18.	Teak-wood doors (3′ × 6′) including frame, &c., complete Machinery for grinding mortar will be made available, the tenderer bearing the charges for the preparation of the mortar.	Each.	10

The 14th March 1905.

Notice is hereby given that sealed tenders will be received at the office of the Chairman of the Board of Trustees for the Mysore City Improvements, up to 17th April 1905, for the construction of drains and works pertaining to them in No. II Drainage area of the Mysore City in Block Nos. 3, 5, 4, and Silledar Lines. An approximate estimate of quantities is given in the accompanying statement. These quantities are not guaranteed. The work should be completed by the end of June 1907.

2. The plans, detailed estimate and conditions may be seen at the office of the Chairman of the Board of Trustees, Mysore City Improvements, between the hours of 11 A. M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Chairman's office. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the construction of drains and works pertaining to them in No. II Drainage area of the Mysore City, in Block Nos. 3, 5 and 4, and Silledar Lines," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Board of Trustees for the Mysore City Improvements, who do not bind themselves to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted will be posted on the notice board in the Chairman's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Statement showing the quantity of drainage and other works to be done in Silledar Lines and Block Nos. 3, 5 and 4 of No. II Drainage area of the Mysore City.

No.	*Items of work.*	*Per.*	*Approximate quantity.*
1.	Earthwork, excavation ordinary soil for constructing drains of semi-peg top section.	C.yds.	2,429
2.	Earthwork, excavation for other soil for constructing drains of semi-peg top section (average rate).	„	1,052
3.	Earthwork, cutting for grading roads and conservancy lanes.	„	3,280
4.	Machine-ground surki mortar concrete for constructing drains of semi-peg top section.	C. ft.	66,208
5.	Machine-ground surki mortar concrete for filling foundation of masonry works.	„	811
6.	Machine-ground chunam mortar concrete for filling foundation of masonry works.	„	756
7.	Burnt brick in machine-ground surki mortar ...	„	2,395
8.	Do do chunam mortar ...	„	3,597
9.	Coping with burnt brick in machine-ground chunam mortar and plastering.	R. ft.	294
10.	Machine-ground surki mortar plastering, rendering smooth with cement.	Sqr.	1049·85
11.	Machine-ground chunam mortar plastering ...	„	45·33
12.	Cement plastering	„	3·44
13.	Coverings to drains at crossings with either armoured concrete or dressed 6" thick burnt stone slabs set in mortar.	S. ft.	7,963
14.	Coping with dressed 3" thick burnt stone slabs set in mortar.	„	64
15.	Removing slab stones of existing drains	R. ft.	34,675
16.	Resetting the old slab stones set in mortar pointing the joints.	„	34,675
17.	Forming and gravelling the road 3" thick including collecting, carting and consolidating.	S. yds.	16,798
18.	Teak-wood doors (3' × 6') including frame, etc., complete Machinery for grinding mortar will be made available, the tenderer bearing the charges for the preparation of the mortar.	Each.	6

The 14th March 1905.

Notice is hereby given that sealed tenders will be received at the office of the Chairman of the Board of Trustees, Mysore City Improvements, up to 17th April 1905, for the construction of drains and works pertaining to them in No. II Drainage area of the Mysore City in Block Nos. 6, 26, 27, 28 and part of 2. An approximate estimate of quantities is given in the accompanying statement. These quantities are not guaranted. The work should be completed by the end of June 1907.

2. The plans, detailed estimate and conditions may be seen at the office of the Chairman of the Board of Trustees, Mysore City Improvements, between the hours of 11 A.M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Chairman's office. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the construction of drains and works pertaining to them in No. II Drainage area of the Mysore City in Block Nos. 6, 26, 27, 28 and part of 2, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Board of Trustees for Mysore City Improvements, who do not bind themselves to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Chairman's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Statement showing the quantity of drainage and other works to be done in Block Nos. 6, 26, 27, 28 and part of 2 of No. II Drainage area of the Mysore City.

No.	*Items of work.*	*Per.*	*Approximate quantity.*
1.	Earthwork, excavation ordinary soil for constructing drains of semi-peg top section	C. yds.	2,856
2.	Earthwork, excavation for other soil for constructing drains of semi-peg top section (average rate).	„	1,142
3.	Earthwork, cutting for grading roads and conservancy lanes.	„	2,864
4.	Machine-ground surki mortar concrete for constructing drains of semi-peg top section.	C. ft.	70,906
5.	Machine-ground surki mortar concrete for filling foundation of masonry works.	„	1,259
6.	Machine-ground chunam mortar concrete for filling foundation of masonry works.	„	1,260
7.	Burnt brick in machine-ground surki mortar ...	„	3,294
8.	Burnt brick in machine-ground chunam mortar ...	„	5,561
9.	Coping with burnt brick in machine-ground chunam mortar and plastering.	R. ft.	490
10.	Machine-ground surki mortar plastering, rendering smooth with cement.	Sqr.	1096·28
11.	Machine-ground chunam mortar plastering ...	„	73·71
12.	Cement plastering	„	20·59
13.	Coverings to drains at crosings with either armoured concrete or dressed 6″ thick burnt stone slabs set in mortar.	S. ft.	8,289
14.	Coping with dressed 3″ thick burnt stone slabs set in mortar.	„	64
15.	Removing slab stones of existing drains	R. ft.	40,350
16.	Resetting the old slab stones set in mortar pointing the joints.	„	40,350
17.	Forming and gravelling the roads 3″ thick including collecting, carting and consolidating.	S. yds.	31,154
18.	Teak-wood doors (3′ × 6′) including frame etc., complete.	Each	10
	Machinery for grinding mortar will be made available, the tenderer bearing the charges for the preparation of the mortar.		

1072

The 14th March 1905.

Notice is hereby given that sealed tenders will be received at the office of the Chairman of the Board of Trustees for the Mysore City Improvements, up to 17th April 1905, for the construction of drains and works pertaining to them in No. II Drainage area of the Mysore City in Block Nos. 21 and 22, 29 and 30, 23, 24, 25 and 31. An approximate estimate of quantities is given in the accompanying statement. These quantities are not guaranteed. The work should be completed by the end of June 1907.

2. The plans, detailed estimate and conditions may be seen at the office of the Chairman of the Board of Trustees for the Mysore City Improvements between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Chairman's office. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the construction of drains and works pertaining to them in No. II Drainage area of the Mysore City in Block Nos. 21 and 22, 29 and 30, 23, 24, 25 and 31, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Board of Trustees for the Mysore City Improvements, who do not bind themselves to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Chairman's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Statement showing the quantity of drainage and other works to be done in Block Nos. 21 and 22, 29 and 30, 23, 24, 25 and 31 of No. II Drainage area of the Mysore City.

No.	*Items of work.*	*Per*	*Approximate quantity.*
1	Earthwork, excavation, ordinary soil for constructing drains of semi-peg top section.	C. yd.	2,528
2	Earthwork, excavation for other soil for constructing drains of semi-peg top section (average rate).	,,	1,061
3	Earthwork, cutting for grading roads and conservancy lanes.	,,	1,619
4	Machine-ground surki mortar, concrete, for constructing drains of semi-peg top section.	C. ft.	63,725
5	Machine-ground surki mortar, concrete, for filling foundation of masonry works.	,,	764
6	Machine-ground chunam mortar, concrete, for filling foundation of masonry works.	,,	1,260
7	Burnt brick in machine-ground surki mortar ...	,,	2,208
8	Burnt brick in machine-ground chunam mortar ...	,,	7,514
9	Coping with burnt brick in machine-ground chunam mortar and plastering.	R. ft.	490
10	Machine-ground surki mortar plastering, rendering smooth with cement.	Sqr.	918·26
11	Machine-ground chunam mortar plastering ...	,,	81·99
12	Cement plastering ...	,,	3·44
13	Coverings to drains at crossings with either armoured concerte or dressed 6" thick burnt stone slabs set in mortar.	S. ft.	6,808
14	Coping with dressed 3" thick burnt stone slabs set in mortar.	,,	64
15	Removing slab stones of existing drains ...	R. ft.	27,840
16	Re-setting the old slab stones set in mortar pointing the points.	,,	27,840
17	Forming and gravelling the roads 3" thick, including collecting, carting and consolidating.	S. yd.	12,524
18	Teakwood doors (3' × 6') including frame etc., complete. Machinery for grinding mortar will be made available, the tenderer bearing the charges for the preparation of the mortar.	Each.	10

The 14th March 1905.

Notice is hereby given that sealed tenders will be received at the office of the Chairman of the Board of Trustees for Mysore City Improvements, up to 17th April 1905, for laying stoneware pipes including the construction of manholes and leaping weirs in No. II Drainage area of the Mysore City. An approximate estimate of quantities is given in the appended statement. These quantities are not guaranteed. The work should be completed by the end of September 1905.

2. The plans, detailed estimate and conditions may be seen at the Chairman's office at Mysore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Chairman's office. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for laying stoneware pipes including the construction of manholes and leaping weirs in No. II Drainage Area of the Mysore City," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Board of Trustees, Mysore City Improvements, who do not bind themselves to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Chairman's office in due course.

No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Statement showing the quantity of work to be done for laying stoneware main and sub-main pipe, sewers, etc., of No. II Drainage Area of the Mysore City.

No.	*Items of work.*	*Per.*	*Approximate quantity.*
	Earthwork excavation and refilling, including watering and tamping for an average depth of 4 feet for laying pipe, sewers, etc.		
1.	Ordinary soil	C.yds.	3,683
2.	Mouram and hard soil	,,	3,640
3.	Schally schist and rock	,,	3,215
4.	Carting, fitting and laying stoneware pipes 6″ diameter (when pipes are supplied).	R.ft.	13,547
5.	Do do 9″ do ...	,,	920
6.	Machine-ground surki mortar concrete for filling foundation of manholes and leaping weirs.	C.ft.	6,466
7.	Burnt brick in machine-ground surki mortar for constructing manholes and leaping weirs.	,,	5,062
8.	Machine-ground surki mortar plastering for manholes ...	Sqr.	58·65
9.	Machine-ground surki mortar plastering rendering smooth with cement for leaping weirs.	,,	10·00
	Machinery for grinding mortar will be made available, the tenderer bearing the charges for the preparation of the mortar.		

Dated 14th March 1905.

Notice is hereby given that sealed tenders will be received at the office of the Chairman of the Board of Trustees, Mysore City Improvements, up to 17th April 1905, for repairing and improving flood water and Captain Purchase's Drain. An approximate estimate of quantities is given in the appended statement. These quantities are not guaranteed. The work should be completed by the end of December 1905.

2. The plans, detailed estimate and conditions may be seen at the Chairman's office at Mysore between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Chairman's office. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200, in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for repairing and improving flood water and Captain Purchase's Drain," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Board of Trustees for Mysore City Improvements, who do not bind themselves to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Chairman's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Statement showing the quantity of work to be done for repairing and improving the existing flood water open main drain of No. II Drainage Area of the Mysore City.

No.	*Items of work.*	*Per*	*Approximate quantity.*
1	Repairing with required materials at the sides and bottom of brick masonry drain portion.	R. ft.	1,698
2	Repairing with required materials at the sides and bottom of rough stone masonry drain portion.	„	1,336
3	Earthwork, excavation for revetting the sides of earthen portion of drain from Wellington Lodge to the Dodkere tank.	C. yd.	2,600
4	Revetting with rough stone work.	„	2,141

D. SITARAM RAO, *Chairman.*

Dated Bangalore 24th March 1905.

Applications are invited from candidates up to 31st May 1905 (Male and Females) for Mysore Government Medical scholarship to qualify for Hospital Assistants grade in the Royapuram Medical School at Madras.

2. None but Matriculates need apply.

3. Applications are to accompany with certificates of age, conduct, physical fitness, caste, religion, &c.

By Order,

T. S. NANJAPPA,
Personal Asst. to the Senior Surgeon & Sanitary Comr.

BANGALORE CITY MUNICIPALITY.

Explanatory Memo to accompany the Draft Budget Estimates of Receipts and Expenditure of the Bangalore City Municipality for the year 1905-06.

The income and expenditure as sanctioned for the year 1904-05 are noted below:—

	Rs.
Opening balance as intimated by the Comptroller in the Audited Cash Account for July 1904	26,641
Estimated receipts for 1904-05, including those of the two Extensions ...	3,20,859
Total including opening balance	3,47,500
Deduct estimated expenditure of the City as well as the Extensions as sanctioned by Government	3,40,901
Opening balance for the year 1905-06	6,599

The figures shown in the last column of Form No. I, *viz.*, "Sanctioned Estimate for the year 1904-05" represent the sum total of the estimates sanctioned for the year 1904-05, both for the City and for the two Extensions, *viz.*, Basavangudi and Malleswaram, since it has been ordered in para 3 of Government Proceedings No. (5431-6)-200-3—Municipal, dated the 23rd December 1904, that no separate accounts need be kept for those two newly constituted Divisions.